



## INTERPATH LABORATORY SERVICES

**TEST CHANGES EFFECTIVE JULY 21st, 2008**

Please note the following test updates. Make the changes in your Interpath Service Manual if appropriate. Contact Client Services at 800-700-6891 for additional information.

<u>Test #</u>	<u>Test Name</u>	<u>Change/New Information</u>
91026	Arsenic, Blood	<b>Reference Range:</b> Normal: 0.0-13.0 ug/L
91057	Chromogranin A	<b>Specimen Stability:</b> Critical Frozen. Separate serum from cells ASAP.
91250	Hemoglobin Evaluation	<b>New Components:</b> (interface clients) 93619 Sickle Cell Solubility 93618 Acid Hgb Electrophoresis 93617 Alkaline Hgb Electrophoresis
91251	Hepatitis Delta Ab	<b>Specimen Stability:</b> Ambient: Unacceptable Refrigerated: 2 days Frozen: Indefinitely Please submit frozen
1454	Lipid Panel	<b>New Component:</b> Calculation Non-HDL Cholesterol Reference Range: Optimal < 130 mg/dL
1063	Microalbumin/Creatinine	<b>Reference Range:</b> Normal: 0-30 mg/g crt
2299	Mycoplasma pneumonia, IgM Rapid	<b>Discontinued Test:</b>

91453	<b>Opiates, Urine</b>	<b>New Test:</b> <b>Reporting:</b> Reported as positive or negative. If Positive: Report will include drugs present and quantitation. <b>Drugs included:</b> Codeine, morphine, 6-acetylmorphine, hydrocodone, hydromorphone, and oxycodone <b>Positive Cutoff:</b> 5 ng/mL <b>Specimen requirement:</b> 25 mL (Min 3 mL) random urine. Submit refrigerated. <b>Testing Schedule:</b> Performed Monday-Friday. TAT: 2-5 days
97006	<b>Opioid Panel</b>	<b>Discontinued Test:</b> Replaced with Test #91453 Opiates, Urine.
91175	<b>Organic Acids, Urine</b>	<b>Specimen Stability:</b> Critical Frozen. Ambient and refrigerated samples unacceptable.
91196	<b>Renin</b>	<b>Specimen Stability:</b> Critical Frozen. Ambient and refrigerated samples unacceptable.