

## LABORATORY SERVICES UPDATE

Please note the following test updates. Make the changes in your Interpath Service Manual if appropriate. Contact Client Services at 800-700-6891 for additional information.

Test #	Test Name	Changes/New Information	Effective Date
91012	Aldosterone	New reference range – See report for children < 16 yrs Adults - < 1.6-31.0 ng/dL (Posture unspecified or supine) 4.0-31.0 ng/dL (Upright)	September 15, 2003
91049	Catecholamines, Urine	Note: If ph>7 adjust to ph of 3-6 with 6N HCl	September 15, 2003
91051	Ceruloplasmin	Note: Plasma no longer acceptable. Submit 0.5 mL serum. Avoid hemolysis	September 15, 2003
91128	Herpes Virus-6 Ab, IgG	New Reference Range – <0.09 IV-Negative 0.90-1.10 IV-Equivocal >1.10 IV-Positive	September 15, 2003
91146	Insulin Abs	New Reference Range- 0.0-1.0 kronus units/mL Note: Please submit FROZEN	September 15, 2003
91252	Legionella Ab IgG	New Reference Range- <1:128-Negative 1:128-Equivocal >1:256-Positive	September 15, 2003
91159	Magnesium, Urine	Note: Adjust to ph of 1 with 6N HCL	September 15, 2003
91173	Olanzapine	New specimen Requirement: 3mL Serum or Plasma (EDTA) FROZEN	September 15, 2003
91196	Renin	New specimen Requirement: 2mL Plasma (EDTA) FROZEN. Stable 6hours ambient. Unstable refrigerated.	September 15, 2003
93046	Ristocetin CoF (Part of Von Willebrand Panel #91234)	New Reference Range – 43-156%	September 15, 2003

<i>For Your Information</i>			
91355	Antimony	Be sure to use Royal Blue tubes with EDTA additive	
91356	Bismuth	Be sure to use Royal Blue tubes with EDTA additive	